HP EliteBook 850 G8 Notebook PC



Work with each other even when you're apart

Teams work from many locations requiring a powerful, secure, and durable laptop that connects easily to keep you productive. Meet the demands of the multi-task, multi-place, enterprise-business workday with the HP FliteBook 850.



*Product image may differ from actual product

HP recommends Windows 11 Pro for business

Designed for you

 The HP EliteBook 850 is built for how you work with a new Al-based audio experience. This easy to carry ultralight and thin business PC comes with an 85percent screen-to-body ratio and a quiet and comfortable keyboard to work on.

Protected by HP Wolf Security

 HP Wolf Security for Business creates a hardware-enforced, always-on, resilient defense. From the BIOS to the browser, above, in, and below the OS, these constantly evolving solutions help protect your PC from modern threats.¹

Pursue success

- Do your best work when and where you like. Stay connected with optional 5G² and 4G LTE wireless³, long battery life, and a powerful 11th Gen Intel[®] Core[™] ⁴ processor option.
- Get the exceptional combination of responsive performance, connectivity and speed with an optional quad-core 11th Gen Intel® Core™ vPro® processor that lets you launch, create, and connect fast and reliably.^{4,5}
- Instantly block prying eyes' ability to view your screen with optional HP Sure View Reflect that produces a copper reflective finish when the screen is viewed from the side making it appear unreadable.⁷
- Driving support for more environmentally conscious products, we use ocean-bound plastics in the speaker enclosure and the outer box packaging is 100- percent sustainably sourced.^{8,9}
- Al-based noise reduction improves collaboration by applying industry-leading noisefiltering technology to all audio input, giving you an enhanced audio and video conferencing experience.¹¹
- Save time by automating driver, BIOS, and HP software updates with HP Patch Assistant. This new tool—available in the HP Manageability Integration Kit—helps simplify the monitoring of HP device health and security across your fleet.¹⁰
- Your "office" can be where you need it, letting you connect almost anywhere with the HP EliteBook 830 with optional support for up to 5G wireless broadband technology with 4x4 antennas that can deliver fast download and upload speeds.²
- Designed for people that always find a way to get work done, select configurations
 of the HP EliteBook 830 meet the high-performance, responsiveness, long battery
 life, and stunning visual standards for the Intel® Evo™ Platform.¹³
- Know if someone has tried to open the cover of your PC thanks to a tamper lock intrusion detection system that can require an administrator password to restart the system.¹⁴

HP EliteBook 850 G8 Notebook PC Specifications Table







Product image may differ from actual product Windows 11 Pro1 Windows 11 Home - HP recommends Windows 11 Pro for business Windows 11 Home Single Language Windows 11 Pro (Windows 11 Enterprise available with a Volume Licensing Agreement)	
Intel® Core™ I7-1165G7 (up to 4.7 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 4 cores); Intel® Core™ I7-1185G7 (up to 4.8 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 4 cores); Intel® Core™ I5-1135G7 (up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 4 cores); Intel® Core™ I5-1135G7 (up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 4 cores); Up to 4.4 GHz with Intel® Turbo Boost Technology, 12 MB L3 cache, 4 cores), supports Intel® VPro® Technology. 8 MB L3 cache, 4 cores, supports Intel® VPro® Technology. 8 MB L3 cache, 4 cores), supports Intel® Cores Intel® Cores I	s and app
Available Processors 4.5.6.7.41 Technology, 12 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), tup to 4.2 GHz with Intel® Turbo Boost Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 9 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 9 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 9 MB L3 cache, 4 cores), 8 MB L3 cache, 4 cores), supports Intel® vPro® Technology, 9 MB L3 cache, 4 cores), 8 MB L3 cache, 4 cores), 10 L4 Cache DPRO® L3 Cache L4 Ca	
Memory slots 2 SODIMM Internal storage 2 SODIMM Internal storage 256 GB up to 2 TB PCIe® Gen3x4 NVMe™ M.2 SSD TLC® 256 GB up to 512 GB PCIe® Gen3x4 NVMe™ M.2 SSD TLC® up to 512 GB PCIe® Gen3x4 NVMe™ M.2 SSD TLC® up to 512 GB PCIe® Gen3x4 NVMe™ M.2 SSD TLC® up to 512 GB PCIe® MVMe™ M.2 MED M.2 SSD® Up to 128 GB PCIe® Gen3x4 NVMe™ M.2 SSD TLC® Display size (diagonal, metric) 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 1000 nits, 72% NTSC, 19 Sure View Reflect integrated privacy screen; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 400 nits, low power, 72% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 m (15.6°) diagonal, FHD (1920 x 108	
Up to 512 GB Intel® PCIe® NVMe™ N.2 SSD with 32 GB Intel® Optane™ memory H10 ^{3,10,11} 256 GB up to 2 TB PCIe® Gen3x4 NVMe™ N.2 SSD TLC ⁹ 256 GB up to 512 GB PCIe® Gen3x4 NVMe™ N.2 SSD TLC ⁹ up to 512 GB PCIe® NVMe™ N.2 SSD TLC ⁹ up to 512 GB PCIe® Gen3x4 NVMe™ N.2 SSD TLC ⁹ Up to 128 GB PCIe® Gen3x2 NVMe™ N.2 SSD TLC ⁹ Display size (diagonal, metric) 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 1000 nits, 72% NTSC, HP Sure View Reflect integrated privacy screen; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°	
256 GB up to 2 TB PCIe® Gen3x4 NVMe™ M.2 SSD TLC9	
39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 1000 nits, 72% NTSC, HP Sure View Reflect integrated privacy screen; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 400 nits, low power, 72% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 cm (15.6°) diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 250 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 200 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 200 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 200 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 200 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 200 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 200 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 200 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 200 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 200 nits, 45% NTSC; 39.6 diagonal, FHD (1920 x 1080), IPS, anti-glare, 200 nits, 45% NTSC; 39.6 diagonal, FHD (1920	
Communications Com	
Available Graphics Discrete: NVIDIA® GeForce® MX450 (2 GB GDDR6 dedicated) ⁴⁴ (Support HD decode, DX12, HDM1 2.0b, HDCP 2.3.) Audio Audio by Bang & Olufsen, dual stereo speakers, 3 multi array microphone (Compatible with Miracast-certified devices.) 2 Thunderbolt™ 4 with USB4 Type-C® 40Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate Stereo headphone/microphone combo jack; 1 HDM1 2.0b; 1 AC power ³² ; (HDM1 cable sold separately.); Optional Ports: 1 Smartcard reader (optional) Input devices HP Premium Keyboard − spill-resistant, backlit keyboard; Touchpad with multi-touch gesture support; HP Module with NXP NFC Controller NPC300 I2C NCI; Near Field Communication (NFC) module; Intel® AX201 Wi-Fi 6 (2x2) and Bluetooth® 5 combo, not support to the support of the premium Keyboard in the premium Ke	
Wireless technologies (Compatible with Miracast-certified devices.) Ports and Connectors 2 Thunderbolt™ 4 with USB4 Type-C® 40Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate (USB Power Delivery,	
Ports and Connectors 2 Thunderbolt™ 4 with USB4 Type-C® 40Gbps signaling rate (USB Power Delivery, DisplayPort™ 1.4); 2 SuperSpeed USB Type-A 5Gbps signaling rate Stereo headphone/microphone combo jack; 1 HDMI 2.0b; 1 AC power³2; (HDMI cable sold separately.); Optional Ports: 1 Smartcard reader (optional) Input devices HP Premium Keyboard – spill-resistant, backlit keyboard; Touchpad with multi-touch gesture support; HP Module with NXP NFC Controller NPC300 I2C NCI; Near Field Communication (NFC) module; Intel® AX201 Wi-Fi 6 (2x2) and Bluetooth® 5 combo, not support is the suppor	
Ports and Connectors Stereo headphone/microphone combo jack; 1 HDMI 2.0b; 1 AC power ³² ; (HDMI cable sold separately.); Optional Ports: 1 Smartcard reader (optional) Input devices HP Premium Keyboard – spill-resistant, backlit keyboard; Touchpad with multi-touch gesture support; HP Module with NXP NFC Controller NPC300 I2C NCI; Near Field Communication (NFC) module; Intel® AX201 Wi-Fi 6 (2x2) and Bluetooth® 5 combo, no	
General Interview HP Module with NXP NFC Controller NPC300 I2C NCI; Near Field Communication (NFC) module; Intel® AX201 Wi-Fi 6 (2x2) and Bluetooth® 5 combo, no	(1 charging); 1
Communications HP Module with NXP NFC Controller NPC300 I2C NCI; Near Field Communication (NFC) module; Intel® AX201 Wi-Fi 6 (2x2) and Bluetooth® 5 combo, no AX201 Wi-Fi 6 (2x2) and Bluetooth® 5 combo AX201 Wi-Fi 6 (2x2) AX201 Wi-Fi 6 (2x	
AAZOT WITTO (ZAZ) and bidetooth Stormon, Milet Amini 300 LIE-Advanced Cat 3, Quatconiii Shabdiagoni A55 50 LIE Cat 20,	on-vPro®; Intel®
Camera 720p HD camera; IR Camera (select models) ¹⁶	
HP Connection Optimizer; HP Image Assistant; HP Hotkey Support; HP Noise Cancellation Software; HP PC Hardware Diagnostics UEFI; HP Support Ass Software Office (Sold separately); HP Power Manager; myHP; HP Privacy Settings; HSA Fusion for Commercial; HSA Telemetry for Commercial; Touchpoint Custo Commercial; HP Notifications; HP QuickDrop; HP Wireless Button Driver; 19,20	
Available software HP Smart Support ⁵⁷	
Absolute persistence module; HP DriveLock and Automatic DriveLock; HP Secure Erase; Power-on authentication; Preboot authentication; TPM 2.0 em Security management security chip shipped with Windows 10 (Common Criteria EAL4+ Certified); HP Sure Click; HP Sure Sense; Support for chassis padlocks and cable lock of Start Gen6; HP Sure Run Gen3; HP Sure Recover Gen3; HP Sure Admin; HP BIOSphere Gen6; 23.24,25,26,27,28,29,30,31,33	
Security Software Licenses HP Wolf Pro Security Edition ⁵⁶	
Fingerprint reader Fingerprint sensor (select models)	
Management features HP Driver Packs; HP System Software Manager (SSM); HP BIOS Config Utility (BCU); HP Client Catalog; HP Manageability Integration Kit Gen4 ^{21,22}	
Power HP Smart 65 W External AC power adapter; HP Smart 65 W EM External AC power adapter; HP Smart 45 W External AC power adapter; HP Smart 45 W External AC power adapter; HP Smart 45 W USB Type-C® adapter; HP Smart 45 W USB Type-C® adapter ^{34,35}	V 2-prong
Battery type HP Long Life 3-cell, 56 Wh Li-ion ^{34,45}	
Battery life Up to 14 hours and 45 minutes ⁴⁰	
Dimensions 35.6 x 23.37 x 1.92 cm	
Weight Starting at 1.77 kg (touch); Starting at 1.68 kg (non-touch); (Weight will vary by configuration.)	
Ecolabels ENERGY STAR® certified; EPEAT® registered where applicable. EPEAT registration varies by country. See www.epeat.net for registration status by country.	ntry. ³⁷
Sustainable impact specifications Ocean-bound plastic in speaker enclosure; 35% post-consumer recycled plastic; Low Halogen; Bulk packaging available 38,42,43	
Warranty 3 year (3-3-0) limited warranty and service offering includes 3 years of parts and labor. Terms and conditions vary by country. Certain restrictions and apply.	d exclusions

HP EliteBook 850 G8 Notebook PC

Accessories and services (not included)

HP 4 year Next Business Day Onsite Hardware Support for Notebooks



Receive 4 years of next business day onsite HW support from an HP-qualified technician for your computing device, if the issue cannot be solved remotely. **Product number: U7860E**

HP recommends Windows 11 Pro for business

HP EliteBook 850 G8 Notebook PC

Messaging Footnotes

- 1 HP Wolf Security for Business requires Windows 10, includes various HP security features and is available on HP Pro, Elite, Workstation, and RPOS products. See product details for included security features and OS requirements.

 2 5G module has an expected availability of March 2021 and is an optional feature that must be configured at purchase. ART and T-Mobile networks supported in the U.S. Module designed for 5G networks as carriers deploy Evolved-Universal Terrestrial Radio Access New Radio Dual Connectivity (ENDC) with both 100Mhz of 5G NR and LTE channel bandwidth, using 255QAM 4V4 as defined by 3GPP requires activation and separately purchased service contract. Check with service provider for coverage and availability in your area. Connection, upload and download speeds will vary due to network, location, environment, network conditions, and other factors. 5G not available on all products, in all regions. Backwards compatible to 4G LTE and 3G HSPA for module planned to be
- connection, upload and download speeds will vary due to network, location, environment, network conditions, and other factors. \$6 not available in select countries, where carrier supported.

 3 4G LTE module is optional and must be configured at the factory. Module requires activation and separately purchased service contract. Backwards compatible to HSPA 36 technologies. Check with service provider for coverage and availability in your area.

 4 Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary due to network location, environment, network conditions, and other factors. 4G LTE not available on all products, in all regions.

 4 Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

 6 Wireless access point and internet service required and sold separately. Availability of public wireless access points and internet service required and sold separately. Availability of public wireless access points and internet service required and sold separately. Availability of public wireless access points and internet service required and sold separately. Availability of public wireless access points and internet service required and sold separately. Availability of public wireless access points and internet service required and sold separately. Availability of public wireless access and sold internet service required and sold separately. Availability of public and sold internet service required and sold separately. Availability of public and sold internet service required and sold separately. Availability of public wireless access and sold intern
- HP Sure View Reflect integrated privacy screen is an optional feature that must be configured at purchase and is designed to function in landscape orientation.

 Speaker enclosure component made with 5% ocean bound plastic.
- *Speaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component made with 5% ocean bound plastic.

 *Joeaker enclosure component plastic.

 *Joeaker

- 14 HP Tamper Lock must be enabled by the customer or your administrator

Technical Specifications Footnotes

- ¹ Not all features are available in all editions or versions of Windows. Systems may require upgraded and/or separately purchased hardware, drivers, software or BIOS update to take full advantage of Windows functionality. Windows is automatically updated and enabled. High speed internet and Microsoft account required. ISP fees may apply and additional requirements may apply over time for updates. See http://www.windows.com.

 ⁴ Multicore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your

- Adulticore is designed to improve performance of certain software products. Not all customers or software applications will necessarily benefit from use of this technology. Performance and clock frequency will vary depending on application workload and your hardware and software configurations. Intel's numbering, branding and/or naming is not a measurement of higher performance.

 Processor speed denotes maximum performance mode; processors will run at lower speeds in battery optimization mode.

 Intel® Turbo Boost performance varies depending on hardware, software and overall system configuration. See www.intel.com/technology/turboboost for more information.

 In accordance with Microsoft's support policy, IP does not support the Windows 8 or Windows 7 operating system on products configured with Intel and AMD 7th generation and forward processors or provide any Windows 8 or Windows 7 drivers on http://www.support.hp.com.

 Bue to the non-industry standard nature of some third-party memory modules, we recommend HP branded memory to ensure compatibility. If you mix memory speeds, the system will perform at the lower memory speed.

 For storage drives, GB = 1 billion bytes. TB = 1 trillion bytes. TB = 1 trillion bytes. Actual formatted capacity is less. Up to 30 GB (for Windows 10) is reserved for system recovery software.

 In Intel® Optane™ memory is sold separately. Intel® Optane™ memory system acceleration does not replace or increase the DRAM in your system. Available for HP commercial desktops and notebooks and for select HP workstations (HP Z240 Tower/SFF, Z2 Mini, 15 and 17 G5) and 17 G5) and requires a SART AHDD, 7th Gene or higher Intel® Core™ processor or Intel® Xeo Towo Spordust Carringly or higher, Biol Seversion with Intel® Optane™ supported, Windows 10 version 1703 or higher, M.2 type 2280-S1-B-M connector on a PCH Remapped PCIe Controller and Lanes in a x2 or x4 configuration with B-M keys that meet NVMe™ Spec 1.1, and an Intel® Rapid Storage Technology (Intel® Optane™ supported, Windows 10 64-bit, an
- 1 Intel® Uptane® memory system acceleration does not replace or increase the UNAM in your system. Requires 4th Gen or higher Intel® (ore® processor, BIUS) version with Intel® sporting with Intel® sporting fiver.

 12 Wireless access point and Internet service required and sold separately. Availability of public wireless access points limited. The specifications for the 802.11ac WLAN are draft specifications and are not final. If the final specifications differ from the draft specifications, it may affect the ability of the notebook to communicate with other 802.11ac WLAN devices.

 13 WWAN module is an optional feature, requires factory configuration and requires separately purchased service contract. Check with service provider for coverage and availability in your area. Connection speeds will vary due to location, environment, network
- conditions, and other factors. 4G LTE not available on all products, in all regions
- conditions, and other factors. 46 LE not available on all products, in all regions.

 15 Intel® Iris® X° Graphics awireless technology your PC can use to project your screen to TVs, projectors, and streaming.

 15 Intel® Iris® X° Graphics capabilities require system to be configured with Intel® Core™ i5 or i7 processors and dual channel memory. Intel® Iris® X° Graphics with Intel® Core™ i5 or 7 processors and single channel memory will only function as UHD graphics.

 16 HD Content required to view HD images.

 17 Resolutions are dependent upon monitor capability, and resolution and color depth settings.

 18 HP Sure View Reflect integrated privacy screen is an optional feature that must be configured at purchase and is designed to function in landscape orientation.

- 19 HP Connection Optimizer requires Windows 10.

- 19 HV connection Optimizer requires Windows 10.
 20 HP Support Assistant requires Windows and Internet access.
 21 HP Driver Packs not preinstalled, however available for download at http://www.hp.com/go/clientmanagement.
 22 HP Manageability Integration KIt can be downloaded from http://www.8.hp.com/us/en/ads/clientmanagement/overview.html.
 23 Absolute firmware module is shipped turned off and can only be activated with the purchase a license subscription and full activation of the software agent. License subscriptions can be purchased for terms ranging multiple years. Service is limited, check with Absolute for availability outside the U.S. Certain conditions apply. For full details visit: https://www.absolute.com/about/legal/agreements/absolute/
 24 HP Secure Erase for the methods outlined in the National Institute of Standards and Technology Special Publication 800-88 "Clear" sanitation method. HP Secure Erase does not support platforms with Intel® Optane™.
 25 Firmware TPMIs serving 10.
- Firmware TPM is version 2.0.
- ²⁶ HP Sure Click requires Windows 10. See https://bit.ly/2PrLT6A_SureClick for complete details
- ²⁷ HP Sure Sense requires Windows 10.

- 29 HP Sure Series requires windows 10.
 32 HP Sure Start Genis is available on select HP PCs.
 33 HP Sure Ratio Genis is available on select HP PCs.
 34 HP Sure Recover Genis is available on select Windows 10 based HP Pro, Elite and Workstation PCs with select Intel® or AMD processors.
 35 HP Sure Recover Genis is available on select HP PCs and requires an open network connection. You must back up important files, data, photos, videos, etc. before using HP Sure Recover to avoid loss of data.
 35 HP Sure Admin requires Windows 10, HP BloS, HP Manageability Integration KIt from http://www.hp.com/go/clientmanagement and HP Sure Admin Local Access Authenticator smartphone app from the Android or Apple store.
 35 SuperSpeed USB 20Gbps is not available with Thunderbolt**
 36 HP Sure Recover Genis is available on select HP Pro and Elite PCs. See profuse specifications for details. Features may vary depending on the platform and configurations.
- 34 Recharges the battery up to 50% within 30 minutes when the system is off or in standby mode. Power adapter with a minimum capacity of 65 watts is required. After charging has reached 50% capacity, charging will return to normal. Charging time may vary
- +/-10% due to System tolerance

- 3° Recharges the battery up to 50% within 30 minutes when the system is off or in standby mode. Power adapter with a minimum capacity of 65 watts is required. After charging has reached 50% capacity, charging will return to normal. Charging time may vary 4+1-10% due to System tolerance.

 36 Availability may vary by country.

 36 HP Care Packs are sold separately. Service levels and response times for HP Care Packs may vary depending on your geographic location. Service starts on date of hardware purchase. Restrictions and limitations apply. For details, visit www.hp.com/go/cpc. HP services are governed by the applicable HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

 37 Based on US EPEAT* registration according to applicable local laws, and such rights are not in any way affected by the HP terms and conditions of service or the HP Limited Warranty provided with your HP Product.

 38 External power supplies, power cords, cables and peripherals are not Low Halogen.

 40 Windows 10 MM 18 battery life will vary depending on various factors including product model, configuration, loaded applications, features, use, wireless functionality, and power management settings. The maximum capacity of the battery will naturally decrease with time and usage. See www.bapco.com for additional add details.

 41 For full Intel® VPro® functionality, Windows, a VPro supported processor, vPro enabled Q370 chipset or higher and vPro enabled WLAN card are required. Some functionality, such as Intel Active management technology and Intel Virtualization technology, requires additional 3rd party software in order to run. Availability of future "virtual appliances" applications for Intel vPro technology is dependent on 3rd party software providers. Compatibility of this generation of Intel vPro technology-based hardware with future "virtual appliances" is per to be determined.

 42 Percentage of ocean-bound plastic contained in each component varies by product.

 43 Recycled plastic content percenta additional cost with no future software updates or HP Support.
- 57 HP Smart Support automatically collects the telemetry necessary upon initial boot of the product to deliver device-level configuration data and health insights and is available preinstalled on select products, thru HP Factory Configuration Services; or it can be downloaded. For more information about how to enable HP Smart Support or for download, please visit http://www.hp.com/smart-support.

Sign up for updates hp.com/go/getupdated

© Copyright 2022 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein

